



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/711,362	11/10/2000	Yoshiaki Yokoyama	Yaguchi-0016	6786
22850	7590	09/08/2004	EXAMINER	
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			LEUNG, JENNIFER A	
			ART UNIT	PAPER NUMBER

1764

DATE MAILED: 09/08/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

AS

Office Action Summary	Application No. 09/711,362	Applicant(s) YOKOYAMA ET AL.	
	Examiner Jennifer A. Leung	Art Unit 1764	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 July 2004.
 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 and 36 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) ☐ Claim(s) _____ is/are allowed.
 6) ☒ Claim(s) 1-20 and 36 is/are rejected.
 7) ☐ Claim(s) _____ is/are objected to.
 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☒ All b) ☐ Some * c) ☐ None of:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
 * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on July 6, 2004 has been entered.

Response to Amendment

2. Applicant's amendment filed July 6, 2004 has been received and carefully considered. Claims 21-35 are cancelled. Claim 36 is newly added. Claims 1-20 and 36 remain active.

Response to Arguments

3. Applicant's arguments with respect to claims 1-20 and 36 have been considered but are moot in view of the new ground(s) of rejection, necessitated by amendment.

Claim Objections

4. Claims 1, 3 and 4 are objected to because of the following informalities:
In claim 1, line 4, "where" should be replaced with -- on -- for proper grammatical form. In claim 3, line 3, and claim 4, line 5, -- hermetic -- should be inserted before "door" for consistency in claim terminology. Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Art Unit: 1764

5. Claims 1-20 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention because “the first hermetic door” in claim 1, line 5, lacks proper positive antecedent basis.

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

6. Claims 1-20 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Tejima et al. (JP 9-248549) in view of Bassereau (US 2,446,403).

Regarding claims 1, 5 and 36, Tejima et al. discloses a treatment apparatus comprising a first hermetic chamber (i.e. airtight container **601** comprising heating means for vaporizing metal) having a first opening (i.e. right wall in FIG. 8) and a first hermetic door placed outside the first hermetic chamber, capable of opening and closing the first opening (i.e. partition **610**; section [0294]). Tejima et al. is silent as to the apparatus further comprising, “a tube capable of inserting into the first opening,” such that the door **610** for the first opening is shielded from the first hermetic chamber **601** by the tube when the tube is inserted into the first opening, wherein the tube comprises a second opening on a side facing the first hermetic chamber **601**, a third opening on an area opposite the second opening, and means for cooling the tube when the tube is inserted into the first opening.

Bassereau (column 2, lines 27-48; column 3, line 61 to column 4, line 42; Figure) teaches an apparatus for the recovery of metallic vapor from a treatment operation (column 3, lines 45-54), wherein the apparatus comprises a removable tube (i.e., condenser **4a**, comprising a cylinder

Art Unit: 1764

of sheet metal having an opening on the furnace side and another opening **4c** for permitting pressure balance within and outside of tube **4a** on the opposite side), capable of being inserted into an opening of a hermetic chamber (i.e., an opening as defined by annular flange **2a** of furnace **1**), wherein the hermetic chamber comprises a sealing means having a hermetic door placed outside of hermetic chamber **1** (i.e., movable closure plate **9**). Bassereau teaches that during an inserting operation (i.e., during condensation of metallic vapors generated by furnace **1**), hermetic door **9** is shifted to position **9a** (i.e., to interior of fluid-tight compartment **10**) such that the door **9** is shielded from hermetic chamber **1** when tube **4a** is inserted into opening **2a**, with the door **9** inherently being positioned between the two openings of the tube when the tube traverses connecting means **8** during the inserting operating. At the end of a condensation operation, tube **4a** is removed from opening **2a** and shifted to a recovery chamber (i.e., auxiliary chamber **7**), and the hermetic door **9** is subsequently closed (i.e., position **9b**), thus maintaining air-tight conditions for both chambers **1** and **7**. The apparatus further comprises a means for cooling the tube **4a** when the tube is inserted into the first opening (i.e., using temperature regulating means **6**; column 3, lines 69-71).

It would have been obvious for one of ordinary skill in the art at the time the invention was made to provide the metallic vapor recovery apparatus of Bassereau to the apparatus of Tejima et al., on the basis of suitability for the intended use and absent showing any unexpected results thereof, because the transfer of metallic vapors from the hermetic chamber using a condenser tube **4a** maintains a constant vacuum during the transfer operation, thereby minimizing undesired oxidation of the metal or movement of dust (column 1, lines 16-36), as taught by Bassereau. Additionally, the apparatus of Bassereau enables the vaporized metal to be

transferred to from the location of the hermetic chamber to another location for further treatment without the interruption of the vacuum conditions (column 3, lines 34-44).

Regarding claim 2, Tejima et al. discloses an exhaust system (i.e., exhausting system **603**; FIG. 6) for exhausting the contents of the first hermetic chamber **601**. Thus, in the modified apparatus, the exhaust system **603** exhausts the first hermetic chamber **601** via the second opening and third opening of the tube when the tube is inserted into the first opening (i.e., via condenser **4a**, opening **4c** and outlet **7a**, as taught by Bassereau; column 4, lines 19-35; Figure).

Regarding claim 3, Tejima et al. discloses an exhausting system **603** (FIG. 6) for exhausting the contents of the first hermetic chamber. Thus, the modified apparatus of Tejima et al. is capable of maintaining a vacuum state within the first hermetic chamber **601** when the first door **610** is closed during tube replacement (see also column 1, lines 39-49, and column 4, lines 19-35, of Bassereau).

Regarding claim 4, in the modified apparatus of Tejima et al., the exhaust system **603** exhausts the first hermetic chamber **601** when the first door **610** is at an opened position (see Bassereau, column 4, lines 30-33), and the exhaust system **603** is isolated from the first hermetic chamber **601** when the first hermetic door **610** is at a closed position, so that the tube is allowed to be replaced (see Bassereau, column 4, lines 37-42; also column 3, lines 17-26).

Regarding claim 6, Tejima et al. discloses means for regulating a temperature of the first hermetic chamber **601** when the first hermetic door **610** is at an open or closed position (i.e., control means comprising "Temperature Adjusting Means" for chamber **601**; see FIG. 7).

Regarding claim 7, Bassereau teaches the recovery apparatus comprises means, placed along the inserting direction of tube **4a**, for guiding a tube inserting operation (i.e., rollers **20**,

flange **2a**, rod **12**; see Figure; column 4, lines 19-36).

Regarding claims 8 and 9, Tejima et al. (FIG. 2, 9) discloses an embodiment of the invention wherein a plurality of first hermetic chambers (i.e. **102**, **103**) are linearly arranged, said chambers being partitioned off by openable and closeable partitions **105c**, **105d**. As modified by Bassereau, a tube and hermetic door would inherently be provided at each of the openings.

Regarding claim 10, Tejima et al. (FIG. 8; section [0294]) discloses a second hermetic chamber (i.e. recovery chamber **611**) adjoining the first hermetic chamber **601**, with hermetic door **610** being located there between. In the modified apparatus, the tube would inherently be inserted into the first opening of the first hermetic chamber **601** from the second hermetic chamber **611** (i.e., see Bassereau, wherein tube **4a** is inserted into first opening **2a** via auxiliary chamber **7**, or the second hermetic chamber).

Regarding claims 11 and 12, Tejima et al. (FIG. 8) discloses an exhaust system **606** connected to the first hermetic chamber **601** via the second hermetic chamber **611**. As modified by Bassereau (column 4, lines 19-43), the third opening of the tube and the exhaust system **606** would inherently be hermetically connected when the tube is inserted into the first opening of the first hermetic chamber **601**.

Regarding claims 13 and 14, invoking 35 U.S.C. 112, Sixth Paragraph, Applicants disclose on page 27, line 23 to page 28, line 5 of the specification that the, "means for performing pressure regulation," may comprise "an exhaust means, a pressurizing means, and a pressure measuring means," wherein the exhaust means may comprise "various kind of vacuum pumps," the pressurizing means may comprise a gas introduced into the system, and the pressure measuring means may comprise "a Bourdon tube, a Pirani gauge, or the like." Also, Tejima et

Art Unit: 1764

al. discloses means (i.e., a “pressure control system” comprising a “pressurization system”, an “exhaust system” and a “pressure sensor”; section [0286]; FIG. 7) for performing pressure regulation for the second hermetic chamber **611** and the first hermetic chamber **601**. In the modified apparatus of Tejima et al., the provision of the tube (i.e., condenser tube **4a** of Bassereau) would inherently define “a space” between the tube and the second hermetic chamber **611**, and therefore, the means for performing pressure regulation would inherently perform pressure regulation in such space. Although the collective teachings of Tejima et al. and Bassereau are silent as to the relative pressure measurements in the recited locations of the apparatus (i.e., within the space between the tube and the second hermetic chamber, or within the first hermetic chamber, or within the tube), the modified apparatus of Tejima et al. meets the claim, since the specific pressures will depend on the intended use of the apparatus, and furthermore, the disclosed means for performing pressure regulation substantially comprise the recited structural elements, and are thus inherently capable of performing the claimed functions. Also, it would have been obvious choice for one of ordinary skill in the art at the time the invention was made to select an appropriate pressure for the respective locations in the modified apparatus of Tejima, on the basis of suitability for the intended use, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art.

Regarding claim 15, Tejima et al. discloses the means for performing pressure regulation has a means for supplying a carrier gas to the second hermetic chamber **611** (i.e. “it may be made to connect a carrier gas introduction system to the recovery chamber **611**”; section [0294]), and thus, inherently, to a space between the tube and the second hermetic chamber.

Art Unit: 1764

Regarding to claims 16 and 17, Tejima et al. discloses the provision of a filter means comprising a wet filter (i.e. exhaust gas washing apparatus **2006** with alkaline-water shower, for example; section [0339], [0344], [0347]) in a separate embodiment of the invention. Therefore, it would have been obvious for one of ordinary skill in the art at the time the invention was made to provide a filter means, such that it were placed between the second hermetic chamber **611** and the exhaust system **606**, in the modified apparatus of Tejima et al., since the filter means would enable the purification of exhaust gas to environmentally safe levels, as taught by Tejima et al.

Regarding claim 18, Bassereau teaches, "it is required simply to wait until the condenser of the preceding operation is sufficiently cooled to permit opening of the auxiliary chamber, to remove the full condenser and insert an empty condenser," column 3, lines 1-16). Thus, the second hermetic chamber of the modified apparatus would, inherently, comprise a second hermetic door for replacing the tube with a second tube.

Regarding claim 19, Tejima discloses means for regulating a temperature in the second hermetic chamber **611** (i.e., "temperature control means"; sections [0294], [0297]).

Regarding claim 20, Tejima discloses means for supplying a non-oxidizing gas to the second hermetic chamber **611** (i.e., "it may be made to connect to a carrier gas introduction system; section [0294]).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jennifer A. Leung whose telephone number is (571) 272-1449. The examiner can normally be reached on 8:30 am - 5:30 pm M-F, every other Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

Art Unit: 1764

supervisor, Glenn A. Caldarola can be reached on (571) 272-1444. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jennifer A. Leung

September 2, 2004 *JAL*

Hien Tran

**HIEN TRAN
PRIMARY EXAMINER**